Test Write Job Submission

Use this example to ensure the correct permissions are set on the network storage (this will ensure that other jobtypes will be successful in writing the output to the required locations). If the Write Job fails, see the Troubleshooting section down the page.

1. Select Submit > Tests > Qube Test (file Write) Job...

ile View Submit Administration	Help				
Cmdline Job				~	2
Cmdrange Job		Failed	Killed	Complete	Use
3dsmax Job	+				
3dsMax BatchRender Joh					
Plander Joh	t	Namo		Driarity	Brock
Circum 11/00/00 Lab	ľ	Outre Ter	t (nat) Jah	0000	0/1
Cinema4d (USX) Job		Qube Tes	t (file writ	9999	0/1
Cinema4d (Win) Job		Qube Tes	t (file writ	9999	0/1
Holomatix Rendition Job		Qube Tes	t (file writ	9999	0/3
Houdini	- ×	Qube Tes	t (file writ	9999	0/3
Lightwave (ScreamerNet) Job		Qube Tes	t (file writ	9999	0/1
Maya Job		Qube Tes	t (ls) Job	9999	0/1
Mava BatchRender	-	Qube Tes Ouhe Tes	t (file writ	9999	0/1
Maya MEI		Oube Tes	t (file writ	9999	0/1
Phine Jak	ĸ	Qube Tes	t (file writ	9999	0/58
Knino Job	ĸ	Qube Tes	t (file writ	9999	0/58
Vue RenderBull Job					
Xsi Job					
XSI BatchRender Job					
3Delight Job					
Aqsis Job					
Maxwell Render Job					
MavaMan (batch) Job					
Mentalray Job.					
MiGen Joh					
Mtor Joh					
Mitor Job					
Kenderman Job					
Aftereffects (aerender) Job					
Combustion Job					
Fusion (ConsoleSlave) Job					
Nuke (cmdline) Job					
Qube (imagesToMovie) Job					
RED (REDline) Joh					
RV (prin) lob					
Server and the base of the					
SequencePublisher Job					
Shake Job					
Tests	•	Qube	Test (dir) Job)	
RealFlow Job		Qube	Test (file writ	e) Job	
		Qube	Fest (Is) Job.		

Job Holli me		onnine	Qube Test (set) Job		F	
Id	Ŷ	Host	Statue	อเสาเตย	E	

2. Browse to a network location that the farm has mounted and create a file called "test.txt"

Qube Job Basics			
Name	Qube Test (file write) Job		1
Priority	9999		
Subjob Processes	1	×	
arameters			-
file	***CHANGE ME TO NETWORK LOCATION*** 2	Browse	
Qube SimpleCmd and Sh	nell Parameters		
Cmd Template	echo "THIS FILE IS WRITABLE." > "%(file)s"	^	
		Ŧ	
Shell (Linux/OSX)			4
Zube worker selection			-
Hosts	***SELECT HOSTS***	Browse	
Groups		Browse	
Omit Hosts		Browse	
Omit Groups		Browse	
Priority Cluster		Browse	
Host Order		Browse	
Requirements		Browse	
Reservations		Browse	
Restrictions		Browse	
20			1

- 3. Select the hosts in which Qube! Worker is installed
- 4. Click Submit
- 5. This should create a job in the "Job Layout Pane" see section 9 for further details

Troubleshooting

Should you find that you job has failed there are a few things you can check to troubleshoot the issue.

Check that your storage has open permissions for the "qubeproxy" account

Check that the permissions are set to "chmod 777" for testing purposes

- Run the command (OS X & Linux)"touch \$network location\$/test.txt"
- (Windows) Browse to the network location and right click > New > Notepad Document
- Hints on failures can also be found in the4 "Stderr" tab.