

worker_template_path

Synopsis

`worker_template_path = path`

The template *path* is used to specify where the Worker should look to find the libraries/files associated with the jobs it will run. Multiple paths are delimited by colons on OS X / Linux and semi-colons on Windows.



Several important things to take note of are:

- On Windows, you **must use UNC** and the path **separator is a forward slash "/"**.
- This `worker_template_path` **should always contain the location of the local jobtypes** (the default `worker_template_path` value).
- Compiled jobtypes such as the `cmdline` and `cmdrange` are installed locally by the Worker and should not be centrally located, which necessitates the default template path being included in the new value. This ensures that any updates in future releases of the Worker are present in the Worker's available jobtypes.

Examples

Windows

```
worker_template_path="C:/Program Files/pfx/qube/types;C:/Program Files/pfx/jobtypes;C:/Program Files (x86)/pfx/jobtypes;//server/share/qube/ourJobTypes"
```

Mac OS X

```
worker_template_path='/Applications/pfx/qube/types:/Applications/pfx/jobtypes:/mnt/nfsPath/jobtypes'
```

Linux

```
worker_template_path='/usr/local/pfx/qube/types:/usr/local/pfx/jobtypes:/mnt/nfsPath/jobtypes'
```

Defaults

- Linux & OS X: `$QBDIR/types`
- Windows: `%QBDIR%\types`

See Also

[Centralized Jobtypes](#)