

# qbratesume

[ [Description](#) ] [ [Usage](#) ] [ [Options](#) ] [ [Notes](#) ] [ [Examples](#) ] [ [See also](#) ]

## Description

**qbratesume** resumes a job which has been suspended.

## Usage

```
qbratesume [options] jobID... | 0
```

where *JobID* is one or more job IDs, and 0 is a wild card token representing all the user's jobs.

## Options

Option	Description
--suspended	Resume suspended jobs
--user <i>string</i>	Resume jobs for user <i>string</i>
--type <i>string</i> --prototype <i>string</i>	Resume jobs with <i>string</i> type
--status <i>string</i>	Resume jobs with <i>string</i> status (ex. pending)
--name <i>string</i>	Resume jobs with <i>string</i> name
--kind <i>string</i>	Resume jobs of <i>string</i> kind
--pid <i>int</i>	Resume jobs with process ID <i>int</i>
--pgrp <i>int</i>	Resume jobs in <i>int</i> process group
--priority <i>int</i>	Resume jobs with <i>int</i> priority
--cluster <i>string</i>	Resume jobs in <i>string</i> cluster
--cpus <i>int</i>	Resume jobs with a total of <i>int</i> subjobs
--xml	Output in XML format
--help	Command help
--version	Command version

## Notes

This command only works on jobs which are suspended.

## Examples

Resume only subjob 12354.0:

```
% qbratesume 12354.0
```

Resume all subjobs in 12345:

```
% qbratesume 12345
```

Resume all of anthony's jobs:

```
% qbratesume --user anthony 0
```

## See also

[qbsuspend](#)